Benefits:

- **For D415, D435, D455**
- **Robust construction**
- **High IP protection class**
- **High chemical resistance**
- **Vibration-proof mounting**
- **Camera mount included**
- **Good heat dissipation**
- **Compact size**
- **Affordable price**
- **Adaptable to all Mounting Kits**
- **USB cable feeds through the cable gland**



Technical Details:

Dimensions (w x h x l, without cable gland)	150 x 64 x 34mm
Weight	Approx. 500g

Window Material	BK7

Colour	Light grey, RAL 7001 other colours on request
Enclosure Material	Powder Coated Aluminum
Enclosure Seals	Polyurethane


Options	- Dovetail profiles - Pressure equalising valve for outdoor use

Protection Class	IP66 (Nema 4) IP67 (Nema 6)

Cable Gland Aperture (max. connector size)	13.5mm (D415, D435) 16mm (D455)
Cable Diameter	4-6.5mm Self drilling (D455)
Cable Gland Seal	TPE



The mount guarantees good heat dissipation




Order Numbers:

Chameleon XS			
Enclosure Type	**Order Number**	**Enclosure Type**	**Order Number**
RealSense D415	20.105.390	RealSense D435	20.105.391
Enclosure Type	**Order Number**	**Enclosure Type**	**Order Number**
RealSense D455	20.105.393	RealSense T265	discontinued


Accessories:

Product	Image	Order No.	Product	Image	Order No.	Product	Image	Order No.
30mm Adapter		20.105.993	Mounting Kit 29		5.290.000	Mounting Kit 9		5.090.000
Mounting Kit 21		5.210.000	40mm Adapter		20.105.994	Mounting Kit 10		5.100.000
Mounting Kit 22		5.220.000	Mounting Kit 1		5.010.000	Mounting Kit 15		5.150.000
Mounting Kit 24m		5.240.000m	Mounting Kit 2		5.020.000	Mounting Kit 16m		5.160.000m
Mounting Kit 27		5.270.000	Mounting Kit 6		5.060.000	Mounting Kit 17m		5.170.000m
Mounting Kit 28		5.280.000	Mounting Kit 7		5.070.000	Dragon Air Nozzle		5.100.030 + 10.044.607


D415




D435



D455



T265



autoVimation by Exaktera sales@autovimation.com +49 (0) 151 41695845 +49 (3681) 45519-0