

Benefits:

- Application specific windows ex works:
- Germanium or Sapphire: thermal imaging
- BK7 standard: robust glass with high transmission
- IR mirror: applications in critical temperatures
- Acryl: food industry



Product	Image	Order Number
30mm glass window (H-K9L), double-sided AR coated		20.000.030
30mm Sapphire window, 0.2 - 5.5µm, uncoated		20.000.031
30mm Germanium window, 7 - 14µm, DLC + AR coated		20.000.095
30mm acrylic window, FDA, no coating		20.000.112
30mm dome window, BK7, uncoated		20.000.093
2" glass window (H-K9L), double-sided AR coated		20.000.013
2" Sapphire window, 0.2 - 5.5µm, uncoated		20.000.053
2" Germanium window, 7 - 14µm, DLC + AR coated		20.000.054
2" Acrylic window, FDA, uncoated		20.000.058
2" Acrylic window, double-sided AR coated		20.000.029
2" IR mirror (heat reflecting glass)		20.000.052
Honeycomb protective grille for Orca 2" front lids, V2A, 66 x 66 x 3mm		11.998




Product	Image	Order Number
3" glass window (H-K9L), double-sided AR coated		20.000.035
3" Germanium window, 7 - 14µm, DLC + AR coated		20.000.055
3" Acrylic window, FDA, uncoated		20.000.002
3" Acrylic window, double-sided AR coated		20.000.059
3" IR mirror (heat reflecting glass)		20.000.065
3" Dome glass window (H-K9L), uncoated		20.000.004
4" glass window (H-K9L), double-sided AR coated		20.000.066
UV filter 72mm (e.g. for M72 Orca front lid as additional protection glass)		20.000.096

Thanks to the Orca front cover with M72 thread, standard filters or sun shades from the photo area can also be combined with different housing types.




Transmittance Diagrams Front Windows

Standard BK7 Window - double sided anti-reflexion coating



Acrylic Window - double sided anti-reflexion coating



Germanium Window - DLC + anti-reflexion coating

